

# Wilkes County Young Farmer Truck & Tractor Pull 2010

As With Any Tractor, The Main Objective Is Safety- First, Last, And Always  
No Alcoholic Beverages Of Any Kind Are Permitted  
Alcohol Consumption and Un-sportsman like Behavior Are Grounds For Disqualification

## Rules for Stock Antique Class

1. Antique Models – 1900 thru 1967; must have original serial number. Tractors will be checked if in question.
2. Tractors must retain stock appearance.
3. Gasoline, LP, and Diesel Fuel Tractors only. No Alcohol. No Nitrous.
4. Tractors must weigh within limits of each weight class. No overweight allowance.
5. One class entry per tractor. Total of two pulls per tractor.
- \*6. No altered tire cutting, trimming, etc... allowed.
7. No dual wheels.
- \*8. Tire size 18.4 thru 7500# class; tire size 24.5 in 8500 thru 16000# classes.
9. A pair of wheelie bars are required.
- \*10. Draw bar with clevis required.
11. Draw bar must be stationary with no more than 1" movement.
12. 20" maximum height to the top of the draw bar with minimum 3/4" draw bar thickness; 18" draw bar length from center of rear axle to back of hole.
13. No part of draw bar can be touching sled chain while pulling.
14. Tractor must have working brakes.
15. No turbo or super chargers unless factory equipped.
16. Use of factory TA and Multi-power will be allowed one time only.
- \*17. Add on weights allowed. Add on weights are not to extend over 11 feet from the centerline of rear axle.
18. No one is allowed on the track except pullers and officials.
19. Pullers 16 years of age and younger must have a signed release by parent or guardian to pull. Kill switch is required on tractor.
20. Tractors must weigh out after each pull and have their draw bar checked. Driver is to stay on the tractor.
21. Drivers must remain seated during the pull with at least one hand on the steering wheel.
- \*22. No tractor will exceed 3 1/2 mph. Two warnings will be issued. Pull will be disqualified on third violation with no measurement recorded.
23. Pull must start with tight chain. No jerking of sled. Rough starts will be red-flagged.
- \*24. Each puller has two attempts to pass the 20-foot mark. Pull is official after the 20-foot mark is passed.
25. Front wheels may not leave the ground more than 18" during the pull.
26. Excessive loss of liquid (steady or intermittent stream) discharged on the track will be red flagged.
- \*27. The pull will be red flagged and measured at the spot the tractor runs out of bounds if any part of the tractor or sled crosses the boundary line.
28. Pull is over when forward motion of sled is stopped or red flag is dropped.
29. A protest must be filed within the weight class before the next class begins at the sign up booth.  
A \$50.00 protest fee must be paid before the protest will be allowed.
30. No reckless driving will be permitted on or off of the track. Track officials may disqualify any tractor driver for non-sportsmanship conduct, intoxication, or failure to stop when red-flagged.
31. Rules are subject to revision at any time by track officials.
32. At all times the tractors, drivers, and pulls will be governed by track officials and flagmen.
33. Entry fee will not be refunded if disqualified.
34. Track officials' rulings and decisions are final.

- **\*Indicates rules applying to Stock Antique Classes Only!**

# Wilkes County Young Farmer Truck & Tractor Pull 2010

## Rules for Super Antique Classes

1. Maximum RPM 4000.
2. Pull is automatically disqualified when boundaries are exceeded.
3. Fans removed on engines over 3000 RPM.
4. All tire sizes allowed. Cut tires allowed.
5. Must have closed ring hitch with minimum 3" ID and 3/4" diameter. Tractor must not obstruct chain or clevis.
6. Must have working kill switch.
7. Tractors can pull in any gear. Rough starts will be red flagged.
8. 75' false start allowance.
9. Tractors not meeting specifications will not be permitted to pull.
10. Super Tractors cannot pull in Antique Classes. Antique Tractors can pull in Super Classes.
11. **All Stock Antique Rules apply.**

## Rules for Hot Farm Classes

1. Roll cages or factory ROPS with seat belt required.
2. Any year model allowed.
3. Must have a pair of wheelie bars.
4. Transmission wraps are required and steel flywheels are recommended.
5. Fans removed on engines over 3000 RPM.
6. Spring loaded hand throttles that will automatically return to idle speed are required.
7. All tractors must have working brakes.
8. Must use stock transmission housing. No aluminum replacements.
9. All size tires allowed. Cut tires allowed.
10. Must have working kill switch, Air shutoff preferred.
11. Tractors can pull in any gear. Rough starts will be red-flagged.
12. Pull is automatically disqualified when boundaries are exceeded with no distance recorded.
13. 75' False start allowance.
14. Any tractor deemed unsafe by track officials will not be allowed to pull.
15. All Stock Antique Rules apply.
16. All weights must be secure. No loose weights.

## Rules for Modern Farm Tractors

1. Antique tractors allowed.
2. Maximum 3000 RPM
3. Stock or out-of-field appearance.
4. No dual wheels. No 4x4.
5. Must have original equipment.
6. Turbo Allowed
7. Draw Bar must measure 20" from top of draw bar, min. 18" from center of axle, and 3/4" thick.
8. **Pull from after market clevis only.**
9. May pull in any gear.
10. T/A's, Multi Power, and Power Shifts allowed but one shift only.
11. Pull is automatically disqualified when boundaries are exceeded with no distance recorded.
12. Flagmen are in charge of the track.
13. Rules are subject to revision at any time by track officials.
14. All Stock Antique Rules Apply

# Wilkes County Young Farmer Truck & Tractor Pull 2010

## **Rules for Farm Stock Tractors**

1. Stock Tractor any year as factory equipped.
2. Maximum speed of 8 M.P.H.
3. Factory Draw Bar no higher than 20" with an after market clevis.
4. No Duels & No 4x4
5. TA's, Multi-Power, and Power Shifts allowed – One Shift Only
6. Weights and Weight Brackets allowed.

## **Rules for V8 Modified Classes**

1. Tractors must retain tractor appearance.
2. Roll cages with seat belts required.
3. Wheelie bars that support the weight of the tractor are required.
4. Maximum tires of 18.4.
5. Break away kill switches required.
6. Spring return throttle required.
7. Single carburetor; Gas or racing fuel only. No alcohol or nitrous.
8. No engine driven fans.
9. Steel shield or blanket wrap required for bell housing.
10. Hitches have a 20" maximum height, Min. 18" from centerline of rear axle, Min. if ¾" thick and 3" D ring with No movement.
11. All weights must be secured. No loose weights.
12. False start distance of 75' allowed.
13. Pull is automatically disqualified when boundaries are exceeded and no distance is recorded.
14. Any tractor deemed unsafe by track officials will not be allowed to pull.
15. Rules are subject to revision at any time by track officials.
16. At all times the tractors, drivers, and pulls will be governed by track officials and flagmen.
17. Entry fee will not be refunded if disqualified.
18. Track official's rulings and decisions are final.
19. Wide fronts required.

## **Rules for V8 Rail Tractors**

All V8 Modified rules apply except as follows:

1. Any tire size allowed.
2. Roll cages required with seat belts required.
3. Any single engine allowed.
4. Any fuel allowed.

# Wilkes County Young Farmer Truck & Tractor Pull 2010

## **Truck Pull Rules**

1. Driver must be 18 or older with a valid driver's license. Drivers 16 & 17 may compete with an Insurance release signed by their parent or guardian.
2. No alcoholic beverages of any kind are permitted. Alcohol consumption or unsportsman like behavior will be grounds for disqualification.
3. Any truck can only hook once per class.
4. Drivers pull in either first or second gear. No shifting allowed.
5. A puller may have a second try if he/she stops within 75 feet of the start line. However, in a pull-off the puller has only one try.
6. No passengers allowed in the truck while it is pulling.
7. Loss of equipment under green will stop the pull.
8. There will be an automatic disqualification in all classes if the pulling truck touches the sidelines.
9. All trucks when entering or leaving the property are not to exceed 5 mph and when not pulling must remain in the pit area.
10. All registered pull trucks must have their number cards visible at all times in the windshield.
11. Pullers may have sled spotted on starting line where desired if he/she notifies sled operator in sufficient time when sled is returning to the starting line from the previous pull.
12. All trucks must pull from a clevis or D ring with 3" ID and have a hitch height of 30" maximum height to the top of the hitch.
13. Trucks must be Street Legal. This means have Tag, Insurance, and D.O.T approved tires(no cut or altered tires)!
14. All decisions concerning truck classification and/or eligibility will be made by the track officials.
15. Rules are subject to revision at any time by track officials.
16. At all times the trucks, drivers, and the pulls will be governed by track officials and flagmen.
17. Entry fee will not be refunded if disqualified.
18. Lack of adherence to these rules will be grounds for disqualification.
19. Track officials' decisions are final.

## **Modified Truck Specifications**

1. All trucks must have a factory like hood, doors, seats, and bed – either pickup bed or flat bed.
2. All trucks must have a hitch height of 30" maximum height to the top of the hitch.
3. All trucks must pull from a clevis or D ring with 3" ID.
4. All trucks must have a kill switch on the rear of the truck to stop engines in case of emergency.
5. No nitrous or alcohol fuel.
6. All trucks must have working brakes with factory brake pedal.
7. Trucks will carry no fuel or battery inside the cab.
8. Automatic transmissions need blanket.
9. Manual transmission must have steel bell housing and fly wheel.
10. U joints on drive shafts must be shielded.
11. Trucks manufactured for pulling must have drive shaft loops.
12. Lack of adherence to these specifications will be grounds for disqualification.
13. Rules are subject to revision at any time by track officials.
14. All decisions concerning truck classification and/or eligibility will be made by the track officials.
15. Track officials' decisions are final.

# Wilkes County Young Farmer Truck and Tractor Pull

## Lawn/Garden Tractor Classes, Rules, & Regulations

### **- Pulls begin at 3:00 PM**

- Lawn Tractor Sign up from 1:00 until 2:45 PM.
- A drivers meeting will be held at 2:45 for Lawn Tractor Pullers.
- \$5.00 hitch fee per hook and a limit of 2 hooks.
- Admission: \$10 Adults - \$5 Children 12 & Under – Under 6 Free
- Trophies will be awarded for first place only.
- A pedal tractor race, for kids 6 & under, will be held as soon as the antique tractors have finished pulling. Pedal tractors will not be provided.
- All rules and regulations will be strictly adhered to and any decisions made by the rules committee will be final.
- For a copy of the regulations or for more information contact Eric Holton at 706-678-4044 or visit the Wilkes County Young Farmer website at [www.thewttp.com](http://www.thewttp.com).

## Lawn Tractor Classes and Order of Pull

1. 700 lb. – 8 HP Limit – Pure Stock – Turf Tires
2. 800 lb. – 8 HP Limit – Pure Stock – Turf Tires
3. 900 lb. – 16 HP Limit – Super Stock – Turf or cut Tires
4. 1000 lb. – 16 HP Limit – Pure Stock – Turf Tires
5. 1000 lb. – 16HP Limit– Pure Stock – Bar Tires
6. 1050 lb. – 16 HP Limit - Pure Stock – Turf Tires
7. 1100 lb. –16 HP Limit – Super Stock – Turf or cut Tires
8. 1100 lb. –16 HP Limit – Super Stock – Bar Tires
9. 1150 lb. –16 HP Limit – Super Stock – Bar Tires
10. 1150 lb. –16 HP Limit – Super Stock – Turf or cut Tires
11. 1100 lb. –20 HP Limit – Twin Cylinder – Pure Stock
12. 1200 lb. – 20 HP Limit - Modified Stock – Bar, Turf, or Cut Tires
13. 1100 lb. – 30 Cubic Inch – Single Cylinder – Super Stock - Turf or Cut Tires
14. 1100 lb. – 45.5 Cubic Inch - OHV Twin Cylinder or Flat Head -
15. 1100 lb. - 20 HP Limit -Twin Cylinder - Flathead

**Wilkes County Young Farmer Truck & Tractor Pull  
2010 Lawn Tractor Rules & Regulations**

**General Rules**

1. Track and safety officials have the authority to enforce all rules as stated herein and to disqualify any tractor for violations or unsafe conditions. All decisions are final.
2. Any questionable modifications or alterations will be reviewed by the rules committee to establish eligibility. All rules will be interpreted by the rules committee with their rulings being final.
3. No alcohol allowed. Obscene language will not be tolerated.
4. Lawn/garden tractors may pull only once in each class and are limited to two classes.
5. Contestant must be at least 16 years of age or have parent or guardian sign a consent form.
6. All tractors must have wheelie bars – No EXCEPTIONS!!!!!!!!!!!!
7. No four wheel drives.
8. All tractors must have brakes in good working condition.
9. Mower decks and any attachments must be removed while in competition.
10. Rubber tires only – no spikes or tires chains.
11. All weights must be securely attached to the tractor.
12. If a weight falls off of a tractor – the pull will be stopped and measured at that point.
13. All straight exhaust pipes must extend in an upward direction and a minimum of 12 inches above the pipe.
14. All drivers must remain seated while pulling – anyone standing or getting on back of seat will be disqualified.
15. Stock class's hitches must be no more than 12 inches high at the top of the hitching device and must be stationary in all directions.
16. Modified and open class hitch height must be no more than 13 inches high.
17. All contestants in modified or open classes must wear a helmet.
18. No nitrous or nitrous oxide in any class.
19. All drive line, chains, clutches, and belts must be covered.
20. Draw bar length is not to be less than 6 inches from the point of hook to the center of rear axle.
21. No part of hitch shall interfere with the chain on the sled. Such as: holding up on chain.
22. Racing fuel or alcohol allowed in all classes except pure stock classes.

### Pure Stock Class

1. Decks must be removed.
2. 23-10.50.12 turf tire limit or smaller.
3. Must have wheelie bars.
4. 16 HP single cylinder limit.
5. Engine must be stock inside and out.
6. Stock muffler ----- no straight pipes.
7. Must have stock frame, hood, grill, wheels, and sheet metal.
8. Weight brackets allowed.
9. Must have stock throttle. (no foot gas pedal)
10. 3600 RPM limit – governor must work.
11. Must pull in first or second gear – if tractor has high/low range – must pull in low range.
12. Pump gas only- no racing fuel.
13. No cut tires.
14. **Hitches must be no more than 12 inches high at the top of the hitching device and must be stationary in all directions.**

### Pure Stock Twin Cylinder Class

1. Same as the pure stock rules.

### Super Stock Class

1. Outside of motor must look stock and have stock parts.
2. Inside of motor may be modified.
3. Alcohol, racing fuel or pump gas permitted.
4. Frame may be altered.
5. No portion of tractor may exceed 6 and a half feet in length from center of rear axle to furthest point forward. No portion of tractor can exceed 5 feet in width.
6. Open to 1 cylinder lawnmower type engines 16 HP or less, stock stroke and .030 overbore.
7. 26x12x12 limit on rear tires
8. 13 inches height on hitch.
9. Lock rear end permitted.
10. Must have hood grill and fenders.

### Modified Stock Class

1. Outside and inside of motor can be modified.
2. Alcohol, racing fuel or pump gas permitted.
3. Frame may be altered.
4. No portion of tractor may exceed 6 and a half feet in length from center of rear axle to furthest point forward. No portion of tractor can exceed 5 feet in width.
5. Open to 1 or 2 cylinder lawnmower type engines 20 HP or less.
6. 26x12x12 limit on rear tires – can be bar tires, turf tires or cut tires
7. 13 inches height on hitch.
8. Lock rear end permitted.
9. Must have hood grill and fenders.

### **30 Cubic Inch Class**

1. Single cylinder is defined as any tractor having: one cylinder, air cooled, four cycle, flathead, 2 valve, 30 cubic inch engine. The valves must be on the same side as they came from the factory.
2. Any cam allowed.
3. Any size valve allowed.
4. Any type of naturally aspirated induction is permitted.
5. Engine is to be 30 inches or less.
6. Tires must be no larger than 23-10.50.12.
7. Turf tires only.
8. Racing fuel or alcohol allowed.
9. Must have a kill switch.
10. Stock frame- lengthening.
11. All tractors must have a hood and a grill.

### **OHV Twin Cylinder 45.5 Cubic Limit Class**

1. Any type 2 cylinder lawnmower type engine allowed.
2. Any type naturally aspirated induction is allowed.
3. No blowers or Nitrous oxide allowed.
4. Any stroke or bore allowed as long as it is not over 45.5 cubic inches.
5. Any size cam or valve allowed.
6. Tires must be no larger than 26x12x12.
7. 56 inch wheel base maximum.
8. Fire suit and helmet are mandatory.
9. A kill switch and wheelie bars are mandatory.
10. The accelerator must return to neutral when foot or hands are off.
11. Racing fuel and alcohol are allowed.
12. Maximum hitch height 13 inches, no closer than 6 inches from the center of hole to the center of the rear end.

### **OHV Twin Cylinder 60 Cubic Limit Class**

1. Any type 2 cylinder lawnmower type engine allowed.
2. Any type naturally aspirated induction is allowed.
3. No blowers or Nitrous oxide allowed.
4. Any stroke or bore allowed as long as it is not over 60 cubic inches.
5. Any size cam or valve allowed.
6. Tires must be no larger than 26x12x12.
7. 56 inch wheel base maximum.
8. Fire suit and helmet are mandatory.
9. A kill switch and wheelie bars are mandatory.
10. The accelerator must return to neutral when foot or hands are off.
11. Racing fuel and alcohol are allowed.
12. Maximum hitch height 13 inches, no closer than 6 inches from the center of hole to the center of the rear end.

